	fety Data She ording to Regulat		.907/2006 (REACH)	(EN / I
levi	ade name : sion date : date :	Lithofin 16.11.2023 14.12.2023	Limescale-Away Version (Revision) :	4.2.7 (4.2.6
SEC	TION 1: Identific	ation of the su	ubstance/mixture and of the company/ un	dertaking
.1	Product identifie Lithofin Limescale-Aw			
L.2		ied uses of the fied uses	e substance or mixture and uses advised ag	gainst
.3	Details of the su	pplier of the s	afety data sheet	
	Distributor :		Casdron Enterprises Ltd.	
	Street :		Wood End, Prospect Road	
	Postal code/City :		New Alresford, Hants SO 24 9QF	
	Land :		GREAT BRITAIN	
	Telefone :		+44 1962 732126	
	Telefax :		+44 1962 735373	
	Contact :		Technical Department	
	E-mail :		sales@lithofin.co.uk	
	Emergency telep	hone number :	+44 1962 732126	
			(Only available during office hours)	
	Supplier :		Lithofin AG	
	Street :		Heinrich-Otto-Str. 36	
	Postal code/City :		73240 Wendlingen	
	Country :		GERMANY	
	Telefone :		+49 7024 9403 0	
	Telefax :		+49 7024 9403 40	
	Contact :		Technical Department	
	E-mail :		info@lithofin.de	
	Emergency telep	hone number :	+49 7024 9403 0 (Only available during office hours)	
		_		
1.4	Emergency telep see section 1.3	ohone number		
SEC	TION 2: Hazards	identification		
2.1	Met. Corr. 1 ; H290 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Additional infor The mixture is classi Remark	ccording to Re - Corrosive to metal - Skin corrosion/irri - Serious eye damag rmation fied as hazardous ad	e or mixture egulation (EC) No 1272/2008 [CLP] s : Category 1 ; May be corrosive to metals. itation : Category 1B ; Causes severe skin burns and eye da ge/eye irritation : Category 1 ; Causes serious eye damage. ccording to regulation (EC) No 1272/2008 [CLP].	mage.
<u></u>		ding to Regula	ation (EC) No. 1272/2008 [CLP]	
			Page : 1 / 12	
				(EN / I

Trade name : Revision date : Print date :	Lithofin Limescale - 16.11.2023 14.12.2023	Away Version (Revision) :	4.2.7 (4.2.6)
Hazard pictograms			
$\mathbf{\Lambda}$			
, P T			
Corrosion (GHS05)			
Signal word			
Danger			
Hazard component	s for labelling		
	25 % ; CAS No. : 7664-38-2		
Hazard statements			
H290	May be corrosive to metals.		
H314	Causes severe skin burns and eye d	amage.	
Precautionary state			
P102	Keep out of reach of children.		
P234	Keep only in original packaging.		
P280		othing/eye protection/face protection.	
P301+P330+P331	IF SWALLOWED: rinse mouth. Do N	5	
P305+P351+P338	IF IN EYES: Rinse cautiously with wa and easy to do. Continue rinsing.	ater for several minutes. Remove conta	ct lenses, if preser
P405	Store locked up.		
P501	Dispose of contents/container in acc	ordance with local and national regulat	ions.
Other labelling		C C	

Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

2.4 Additional information

see section 12.5

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

 Orthophosphoric acid ; REACH No. : 01-2119485924-24-xxxx ; EC No. : 231-633-2; CAS No. : 7664-38-2

 Weight fraction :
 \geq 20 - < 25 %</td>

 Classification 1272/2008 [CLP] :
 Met. Corr. 1 ; H290 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318

 Classification 1272/2008 [CLP] :
 Met. Corr. 1 ; H290 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318

 Specific Conc. Limits :
 Eye Dam. 1 ; H318: $C \ge 25 \% \bullet$ Skin Corr. 1B ; H314: $C \ge 25 \% \bullet$ Skin Corr. 1C ; H314: $C \ge 25 \% \bullet$ Eye Irrit. 2 ; H319: $C \ge 10 \% \bullet$ Skin Irrit. 2 ; H315: $C \ge 10 \%$

Contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH

None (below the concentration limit)

Contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH

None (below the concentration limit)

Additional information

All ingredients of this mixture are (pre)registered according to REACH regulation. For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Print date :

Lithofin Limescale-Away

16.11.2023 14.12.2023

Version (Revision) :

4.2.7 (4.2.6)

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious but breathing normally, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Do not wash with: Cleaning agent, acidic Cleaning agent, alkaline Solvents/Thinner

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Call a physician immediately. Keep at rest. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed No information available.

4.3 Indication of any immediate medical attention and special treatment needed Notes for the doctor

Treat symptomatically.

Special treatment

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet ABC-powder Foam

Unsuitable extinguishing media

Full water jet Strong water jet

5.2 Special hazards arising from the substance or mixture Hazardous combustion products

Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

Use suitable breathing apparatus.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. The product itself does not burn. Coordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

	fety Data She		(EN / D
acc	ording to Regulat	ion (EC) No. 1907/2006 (REACH)	
	ade name :	Lithofin Limescale-Away	
	ion date : date :	16.11.2023 Version (Revision) : 14.12.2023	4.2.7 (4.2.6)
5.3		terial for containment and cleaning up	
	Clean contaminated	taking up: Universal binder articles and floor according to the environmental legislation. Retain contaminal ose of waste according to applicable legislation.	ed washing water
	Other informati		
5.4	Reference to oth	,	
	Safe handling: see se	ction 7 quipment: see section 8	
SEC	TION 7: Handling) and storage	
7.1	Precautions for s	safe handling	
	When using do not ea	-	
	Protective mea		
	All work processes n Skin contact Eye cor the removal of produ ventilation is not pos	hust always be designed so that the following is excluded: Inhalation of vapour tact Wear personal protection equipment (refer to section 8). Always close cor Jct. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. sible or not sufficient, the entire working area must be ventilated by technical oplication of suitable work processes have priority over personal protection equ	tainers tightly afte If local exhaust means. Technical
	Measures to preve	ent fire	
		Flammable Usual measures for fire prevention.	
	Fire class :	-	
	Shake well befor		
	-	eral occupational hygiene	
7.2		ff contaminated clothing and wash it before reuse. The storage, including any incompatibilities	
/.2		for storage rooms and vessels	
	Keep container tight	ly closed. Keep/Store only in original container. The floor should be leak tight, j dequate ventilation of the storage area.	jointless and not
	Hints on joint s		
	Storage class (TR Protect from frost	GS 510): 8B	
	Recommended st	prage temperature 5 - 25 °C	
	Further informa	ation on storage conditions	
		out of reach of children. Keep container tightly closed in a cool, well-ventilated	place.
7.3	Specific end use	(5)	
/.5	opeenie ena abe		

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

Orthophosphoric acid ; CAS No. : 7664-38-2

Limit value type (country of origin): KZG (D) Parameter: E: inhalable fraction Limit value: 4 mg/m³ Remark : SSc Version :

	ety Data She				
acco	ording to Regulat	ion (EC) N	o. 1907/2006 (REAC	CH)	
Tra	do nomo i	lithof	in Limoscolo A		
-	on date :	16.11.2023	in Limescale-A	Version (Revision) :	4.2.7 (4.2.6)
Print d		14.12.2023			1.2.7 (1.2.0)
	Limit value type (co	untry of origin) :	MAK (D)		
	Parameter :		E: inhalable fraction		
	Limit value :		2 mg/m ³		
	Remark :		SSc		
	Version :				
	Limit value type (co Parameter :	untry of origin) :	E: inhalable fraction		
	Limit value :		2 mg/m^3		
	Peak limitation :		2(I)		
	Remark :		Y		
	Version :		23.06.2022		
	Limit value type (co	untry of origin) :	. ,		
	Limit value :		2 mg/m ³		
	Version :		20.06.2019		
	Limit value type (co Limit value :	untry of origin) :	1 mg/m ³		
	Version :		20.06.2019		
	DNEL-/PNEC-va	alues			
	DNEL/DMEL				
	Orthophosphoric aci	d ; CAS No. : 76	54-38-2		
	Limit value type :		DNEL Consumer (local)		
	Exposure route :		Inhalation		
	Exposure frequer	cy :	Long-term		
	Limit value : Limit value type :		0,73 mg/m ³ DNEL worker (local)		
	Exposure route :		Inhalation		
	Exposure frequer	cy :	Long-term		
	Limit value :		2,92 mg/m ³		
8.2	Exposure contro	ls			
	Appropriate en	gineering c	ontrols		
	Ensure adequate ver Technical measures			ses have priority over personal prot	ection equipment.
	Personal protect	tion equip	ment		
	Eye/face prote	ection			
	Suitable eye pro	ection			
	Eye glasses with		joggles		
	Required proper EN 166	ties			
	Skin protectio	n			
	Hand protection				
	Suitable gloves		5		
	Suitable materi 0,7mm, >8h;	al : NBR (Nitrile	e rubber), 0,4mm, >8h; Buty	/l caoutchouc, 0,5mm, >8h; FKM (fl	uoro rubber),
	Required prope Recommended comparable article	glove articles	: Manufacturer KCL GmbH/I	Eichenzell-Germany; Ansell/Yarra Ci	ty-Australia Or
	•		•	ness/impermeability prior to use.	
	Remark : Breakt of the protective concentration and resistance to cher	hrough times a gloves resistant quantity of ha nicals of the pro	nd swelling properties of the to chemicals must be chose zardous substances. For spe	material must be taken into consid in as a function of the specific work cial purposes, it is recommended to pove together with the supplier of th	ng place check the
	Body protection				
	Protective clothing	•		g Chemical resistant safety shoes	

	16.11.2023 14.12.2023			'ay Version (Revi	sion) :	4.2.7 (4.2.6
	ing. : EN 13034 ant safety shoe		body protection	L		
Respiratory			body protection			
Usually no perso	nal respirative pormation. high	concentrations spr		protection necessar	y at: insuffi	cient ventilation
Full-/half-/quart Remark	ter-face masks	(EN 136/140) Com		g device (EN 14387		
				ling four digit test r I respiratory protec		serve the wear time tus (BGR 190).
General infor			-			
When using do no saturated clothing	t eat, drink, sm ⊨immediately. V	noke, sniff. Avoid c	ontact with skin I clothing prior I	rking materials are , eyes and clothes. to re-use. Wash ha es/vapour/spray.	Remove co	ontaminated,
ECTION 9: Physica	al and cher	nical propert	ies			
1 Information or Appearance : Colour : Odour :		Sicul und ene				
Safety charac	teristics					
Melting point/free Initial boiling poir		(1013 hPa) (1013 hPa)	approx.	-8 102	°C °C	
Melting point/free Initial boiling poir range :	nt and boiling	(1013 hPa)	approx. approx.	102	°C °C	
Melting point/free Initial boiling poir range : Decomposition ter	nt and boiling	. ,		102 not determined		closed cup
Melting point/free Initial boiling poir range : Decomposition ter Flash point :	nt and boiling mperature :	(1013 hPa)		102 not determined not applicable		closed cup (EN ISO 3679)
Melting point/free Initial boiling poir range : Decomposition ter	nt and boiling mperature : perature :	(1013 hPa)		102 not determined		(EN ISO 3679) UN Test L2:Sustaine
Melting point/free Initial boiling poin range : Decomposition ter Flash point : Auto-ignition tem Sustaining combu Lower explosion li Upper explosion li	nt and boiling mperature : perature : istion imit : imit :	(1013 hPa) (1013 hPa)		102 not determined not applicable not determined No not determined not determined	°C	(EN ISO 3679)
Melting point/free Initial boiling poin range : Decomposition ten Flash point : Auto-ignition tem Sustaining combu Lower explosion li Upper explosion li Vapour pressure :	nt and boiling mperature : perature : istion imit : imit :	(1013 hPa) (1013 hPa)		102 not determined not applicable not determined not determined 3000	°C	(EN ISO 3679) UN Test L2:Sustaine combustibility test
Melting point/free Initial boiling poin range : Decomposition ter Flash point : Auto-ignition tem Sustaining combu Lower explosion li Upper explosion li	nt and boiling mperature : perature : istion imit : imit :	(1013 hPa) (1013 hPa)	approx.	102 not determined not applicable not determined No not determined not determined	°C	(EN ISO 3679) UN Test L2:Sustaine combustibility test Pyknometer (DIN EN ISO 2811-1)
Melting point/free Initial boiling poin range : Decomposition ten Flash point : Auto-ignition tem Sustaining combu Lower explosion li Upper explosion li Vapour pressure :	nt and boiling mperature : perature : istion imit : imit :	(1013 hPa) (1013 hPa)	approx.	102 not determined not applicable not determined not determined 3000	°C	(EN ISO 3679) UN Test L2:Sustaine combustibility test Pyknometer (DIN EN
Melting point/free Initial boiling poin range : Decomposition ten Flash point : Auto-ignition tem Sustaining combu Lower explosion li Upper explosion li Vapour pressure : Density : Solvent separation Water solubility	nt and boiling mperature : perature : istion imit : imit :	(1013 hPa) (1013 hPa) (50 ℃) (20 ℃)	approx. <	102 not determined not applicable not determined not determined 3000 1,15 3 miscible	°C hPa g/cm ³	(EN ISO 3679) UN Test L2:Sustaine combustibility test Pyknometer (DIN EN ISO 2811-1) Test L1: Solvent separation test (UN)
Melting point/free Initial boiling poin range : Decomposition ten Flash point : Auto-ignition tem Sustaining combu Lower explosion li Upper explosion li Vapour pressure : Density : Solvent separation Water solubility pH :	nt and boiling mperature : perature : istion imit : imit :	(1013 hPa) (1013 hPa) (1013 hPa) (50 ℃) (20 ℃) (20 ℃)	approx.	102 not determined not applicable not determined not determined 3000 1,15	°C hPa g/cm ³	(EN ISO 3679) UN Test L2:Sustaine combustibility test Pyknometer (DIN EN ISO 2811-1) Test L1: Solvent
Melting point/free Initial boiling poin range : Decomposition ten Flash point : Auto-ignition tem Sustaining combu Lower explosion li Upper explosion li Vapour pressure : Density : Solvent separation Water solubility	nt and boiling mperature : perature : istion imit : imit :	(1013 hPa) (1013 hPa) (1013 hPa) (50 ℃) (20 ℃) (20 ℃)	approx. <	102 not determined not applicable not determined not determined 3000 1,15 3 miscible 1	°C hPa g/cm ³	(EN ISO 3679) UN Test L2:Sustaine combustibility test Pyknometer (DIN EN ISO 2811-1) Test L1: Solvent separation test (UN) DIN 19268 (Mixture) ISO cup 4 mm
Melting point/free Initial boiling poin range : Decomposition ten Flash point : Auto-ignition tem Sustaining combu Lower explosion li Upper explosion li Vapour pressure : Density : Solvent separation Water solubility pH : log P O/W : Flow time : Odour threshold : Vapourisation rate	nt and boiling mperature : section imit : imit : n test :	(1013 hPa) (1013 hPa) (1013 hPa) (20 ℃) (20 ℃) (20 ℃) (20 ℃)	approx.	102 not determined not applicable not determined No not determined 3000 1,15 3 miscible 1 not determined 13 not determined	°C hPa g/cm ³ %	(EN ISO 3679) UN Test L2:Sustaine combustibility test Pyknometer (DIN EN ISO 2811-1) Test L1: Solvent separation test (UN) DIN 19268 (Mixture) ISO cup 4 mm (DIN EN ISO 2431)
Melting point/free Initial boiling poin range : Decomposition ten Flash point : Auto-ignition tem Sustaining combu Lower explosion li Upper explosion li Vapour pressure : Density : Solvent separation Water solubility pH : log P O/W : Flow time : Odour threshold :	nt and boiling mperature : section imit : imit : n test :	(1013 hPa) (1013 hPa) (1013 hPa) (20 ℃) (20 ℃) (20 ℃) (20 ℃)	approx.	102 not determined not applicable not determined No not determined 3000 1,15 3 miscible 1 not determined 13 not determined	°C hPa g/cm ³ %	(EN ISO 3679) UN Test L2:Sustaine combustibility test Pyknometer (DIN EN ISO 2811-1) Test L1: Solvent separation test (UN) DIN 19268 (Mixture) ISO cup 4 mm

(* VOC-EC = "Volatile organic compound (VOC)" means any organic compound having an initial boiling point less than or equal to 250° C measured at a standard pressure of 101,3 kPa; VOC-value in g/L)

9.2 Other information

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

None

(EN/D)

Safety Data She		1007/2006			(EN / D
ccording to Regulat). 1907/2006	(REACH)		
rade name :	16.11.2023	n Limesca	ale-Away	Version (Revision) :	4.2.7 (4.2.6)
rint date :	14.12.2023				
ECTION 10: Stabilit	y and react	ivity			
0.1 Reactivity No specific test data r	elated to reactiv	vity available for thi	s product or its in	aredients.	
0.2 Chemical stabilit					
			nditions of storag	e, use and temperature.	
.0.3 Possibility of haz No hazardous reaction			na to provisions		
0.4 Conditions to av					
Stable under recomme		nd handling conditi	ions.		
0.5 Incompatible ma					
The product develops			n contact with me	etals.	
0.6 Hazardous decor	• •				
Does not decompose	when used for in	itended uses.			
ECTION 11: Toxicol	ogical infor	mation			
1 1 Tufamustian and				en (FC) No 1272/2	000
1.1 Information on I	lazara class	ses as defined	i în Regulați	ON (EC) NO 1272/2	008
Acute toxicity Based on available d	ata the classific	ation criteria are n	ot met		
Acute oral toxicity		acion checha are n	or mer.		
Parameter :		LD50 (Orthophosp	horic acid ; CAS N	o.: 7664-38-2)	
Exposure route :		Oral			
Species : Effective dose :		Rat 2600 mg/kg			
Acute dermal toxi	city	2000 mg/kg			
Parameter :		LD50 (Orthophosp	horic acid ; CAS N	o.: 766 4 -38-2)	
Exposure route :		Dermal			
Species :		Rabbit			
Effective dose : Specific effects	(Longterm	2740 mg/kg	riment)		
There are no data av		-	-		
Corrosion					
Causes severe skin b	ourns and eye da	amage.			
Respiratory or s	skin sensitis	sation			
Based on available d	ata, the classific	ation criteria are no	ot met.		
Repeated dose				nic)	
There are no data av		•			
-	rcinogenici	ty, mutagenio	city and toxi	city for reproductio	on)
Carcinogenicity		·			
Based on available Germ cell mutage		ication criteria are i	not met.		
Based on available		ication criteria are	not met.		
Reproductive toxic					
Based on available		ication criteria are	not met.		
STOT-single ex					
Based on available d		ation criteria are no	ot met.		
STOT-repeated	-				
Based on available d		ation criteria are no	ot met.		
Aspiration haza					
Based on available d	ata, the classific	ation criteria are no	ot met.		
		_			
		Page :	//12		

Safety Data She			(EN / C
according to Regulat	tion (EC) No. 1907/2006	6 (REACH)	
Trade name : Revision date :	Lithofin Limesc	ale-Away Version (Revision) :	4.2.7 (4.2.6)
Print date :	14.12.2023		
11.2 Information on No information availa			
SECTION 12: Ecologi	cal information		
12.1 Toxicity			
Aquatic toxicity	/		
	lata, the classification criteria are	not met.	
	ı) toxicity to algae and cyanol		
Parameter :		phoric acid; CAS No.: 7664-38-2)	
Species :	Daphnia		
Effective dose :	> 100 mg/l		
Exposure time : Method :	48 h OECD 202		
_			
Observe local regula needs to be neutrali	tions concerning effluent treatme	nt. Before discharge into sewage plants the pr	oduct normally
12.2 Persistence and			
	ailable on the preparation/mixture	itself.	
Biodegradation			
The surfactants con No.648/2004 on det	tained in this mixture comply with ergents. Data to support this asse	the biodegradability criteria as laid down in R rtion are held at the disposal of the competen their direct request or at the request of a det	t authorities of the
12.3 Bioaccumulative	potential		
	ailable on the preparation/mixture	itself.	
12.4 Mobility in soil			
-	ailable on the preparation/mixture	itself.	
	nd vPvB assessment		
The substances in the	e mixture do not meet the PBT/vP	vB criteria according to REACH, annex XIII.	
12.6 Endocrine disru			
No information availa			
12.7 Other adverse e	ffects		
There are no data av	ailable on the preparation/mixture	itself.	
12.8 Additional ecoto	xicological information		
Additional informa The product has not			
SECTION 13: Dispos	al considerations		
13.1 Waste treatmen	t methods		
	ording to applicable legislation.		
Waste disposal accord	ding to directive 2008/98/EC, cove	ring waste and dangerous waste.	

Directive 2008/98/EC (Waste Framework Directive)

Before intended use

Waste codes/waste designations according to EWC/AVV

Waste code (EWC/AVV): 06 01 06* (other acids)

After intended use

Do not allow to enter into surface water or drains. Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Delivery to an approved waste disposal company.

Disposal operations

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of.

Safety Data She according to Regulat		1907/2006 (RE	ACH)	(EN / D)
			-	
Trade name : Revision date : Print date :	Litnotin 16.11.2023 14.12.2023	Limescale-	AWAY Version (Revision) :	4.2.7 (4.2.6)
Waste code packa	ging: 15 01 10*	according to EWC/	AVV	
	ned based upon t	he most common uses	for this material and may not reflect o	contaminants
resulting from actual u				
SECTION 14: Transpo 4.1 UN number or II		bn		
UN 1760				
14.2 UN proper shipp Land transport (AD CORROSIVE LIQUID,	R/RID)			
Sea transport (IMD CORROSIVE LIQUID,	G)	,		
Air transport (ICAO CORROSIVE LIQUID,	-TI / IATA-DGR	k)		
4.3 Transport hazar	-)		
Land transport (AD	R/RID)	<u> </u>		
Class(es) : Classification code		8 C9		
Hazard identificatio				
No.) :		80		
Tunnel restriction of		E		
Special Provisions	i	LQ 1 I · E 2		
Hazard label(s) :		8		
Sea transport (IMD	G)	0		
Class(es) : EmS-No. :		8		
Special Provisions		F-A / S-B	Code segregation group 1 - Acids	
Hazard label(s) :		8	Code segregation group 1 - Acids	
Air transport (ICAO	-TI / IATA-DGR	-		
Class(es) :		8		
Special Provisions	4	E 2		
Hazard label(s) :		8		
4.4 Packing group				
II				
14.5 Environmental h	azards			
Land transport (AD	R/RID): No			
Sea transport (IMD	-			
Air transport (ICAO	-	: No		
14.6 Special precaution	ons for user			
None				
L4.7 Maritime transpo Not required.	ort in bulk ac	cording to IMO	instruments	
SECTION 15: Regulat	ory information	tion		
Safetv. health ar	nd environmo	ental regulations	s/legislation specific for the	e substance or
mixture				
EU legislation				
-	o 1907/2006 OF 1	THE EUROPEAN PARLIA	AMENT AND OF THE COUNCIL concerr	ning the
REGULATION (EC) N Registration, Evaluat	ion, Authorisation	and Restriction of Che		-

Safety Data She	et		(EN / D
according to Regulat	ion (EC) No. 1907/2006	(REACH)	
Trade name :	Lithofin Limesca	ale-Away	
Revision date : Print date :	16.11.2023 14.12.2023	Version (Revision) :	4.2.7 (4.2.6)
	ostances and mixtures (clp) /EC OF THE EUROPEAN PARLIAME	NT AND OF THE COUNCIL on waste (2000/5	32/EC)
EN 2:1992 (DIN EN	2:2005-01)	· · ·	. ,
Authorisations an Restrictions on u	d/or restrictions on use		
	No. 1907/2006 (REACH), Ann	ex XVII (restrictions)	
	ccording to REACH annex XVII, no		
Restrictions of o	cupation		
		cording to the 'juvenile work protection guidel y Protection Directive (92/85/EEC) for expect	
Other regulations		_	
Directive 98/24/EC] of the health and safety of workers from the r ctive 2006/15/EC, Directive 2009/161/EC)	isks related to
Regulation (EC)	No. 1005/2009 on substances	that lead to the depletion of the ozone l	ayer
Not listed/not rele			
	wing substances that deplete the c 2019/1021 [POP Regulation]	zone layer: -	
Not listed/not rele			
	stent organic pollutant (POP): -		
	2019/1148 (marketing and us	e of explosives precursors)	
Not listed/not rele Regulation (EU)			
Not listed/not rele			
	ng for PIC notification: -		
National regulation			
Observe in addition a Germany:	any national regulations!		
	ssment for activities involving haz	ardous substances)	
TRGS 500 (Protectiv	e measures)	,	
	of hazardous substances in non-sta instruction and information for wo		
Water hazard clas		Keis)	
Classification accor	ding to AwSV - Class:1 (Slightly h	azardous to water)	
Other regulations	restrictions and prohibition re	egulations	
Switzerland			
VOCV-Regulatio		% according to VOCV	
15.2 Chemical Safety	ontent (Switzerland) : 0 Weight		
-	xture a chemical safety assessmen	t has not been carried out.	
SECTION 16: Other i	nformation		
16.1. Indication of ch	2200		
15. Water hazard class	-		
16.2 Abbreviations a	nd acronyms		
ABC-Pulver	Extinguishing powder for fire	class A, B and C	
ABEK-P1	combination filter		
ADR	European Agreement concern	ing the International Carriage of Dangerous (Goods by Road
AVV	Abfallverzeichnis-Verordnung		-
AWSV	-	handling of substances hazardous to water	
BGR	BG rules and regulations		
ca.	circa		
CAS	Chemical Abstracts Service		

Safety Data Shee		(EN / C
according to Regulation	on (EC) No. 1907/2006 (REACH)	
Trade name :	Lithofin Limescale-Away	
Revision date :	16.11.2023 Version (Revision) :	4.2.7 (4.2.6
Print date :	14.12.2023	
CLP	classification, labelling and packaging	
CMR	Carcinogen, mutagen or toxic for reproduction	
DIN	German Institute for Standardization	
DNEL	Derived No-Effect Level	
EAK/EWC/EAC/CWR/CE	R European Waste Catalogue	
EC50 / CE50	Effective Concentration 50%	
EG / EC / CE	European Community	
EN	European Standard	
EUH	supplemental hazard statement of the european union	
GefStoffV	Gefahrstoffverordnung (Hazardous Substances Ordinance)	
GHS / SGH	Globally Harmonised System	
H-Sätze	hazard statements	
IATA-DGR	International Air Transport Association-Dangerous Goods Regulations	
IBC-Code	International Code for the Construction and Equipment of Ships carrying D Chemicals in Bulk	angerous
ICAO-TI	International Civil Aviation Organization-Technical Instructions	
IMDG-Code	International Maritime Dangerous Goods Code	
ISO	International Organization for Standardization	
LC50 / CL50	Lethal Concentration 50%	
LD50 / DL50	Lethal Dose 50%	
log P O/W	Partition coefficient n-octanol/water	
MARPOL	International Convention for the Prevention of Pollution from Ships (marine	e pollution)
NOAEL (DSET)	No observed adverse effect level	. ,
NOEC (CSEO)	No observed effect concentration	
Nr.	Number	
OECD	Organisation for Economic Co-operation and Development	
PBT	persistent, bioaccumulative and toxic	
рH	Potentia hydrogenii	
PIC	prior informed consent	
PNEC	Predicted No-Effect Concentration	
POP	Persistent organic pollutants	
P-Sätze	precautionary statements	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	International Carriage of Dangerous Goods by Rail	
STEL / LECT	short-term exposure limit	
TRGS	Technische Regeln für Gefahrstoffe (Technical Rules for Hazardous Substa	nces)
TWA / MPT	time-weighted average	-
UN/ONU	United Nations	
VOC/COV/VOS/LZO	Volatile Organic Compound	
VOCV	Ordinance on the Incentive Tax on Volatile Organic Compounds (SR 814.0.	18)
vPvB	very persistent and very bioaccumulative	
WGK	Wassergefährdungsklasse (Water hazard class)	

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu. For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3 Key literature references and sources for data

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL ECHA: Registered substances (https://echa.europa.eu/information-on-chemicals/registered-substances) REACH Article 59: Candidate List of substances of very high concern for Authorisation

Trade name :	Lithofin Limescale-Away	
Revision date : Print date :	16.11.2023 Version (Revision) : 14.12.2023	4.2.7 (4.2.6)
(https://echa.europa	.eu/candidate-list-table)	
6.4 Classification fo	or mixtures and used evaluation method according to re	ulation (EC)
.0.4		
No 1272/2008	[CLP]	
No 1272/2008 Hazard statements for	[CLP] or physical hazards : On basis of test data.	
No 1272/2008 Hazard statements for Hazard statements for	[CLP]	
No 1272/2008 Hazard statements for Hazard statements for Hazard statements for	[CLP] or physical hazards : On basis of test data. or health hazards : Calculation method.	
No 1272/2008 Hazard statements for Hazard statements for Hazard statements for	[CLP] or physical hazards : On basis of test data. or health hazards : Calculation method. or environmental hazards : Calculation method.	
No 1272/2008 Hazard statements for Hazard statements for Hazard statements for Hazard statements for Hazard statements for	[CLP] or physical hazards : On basis of test data. or health hazards : Calculation method. or environmental hazards : Calculation method. d EUH-phrases (Number and full text)	
Hazard statements for Hazard statements for Hazard statements for Hazard statements for	[CLP] or physical hazards : On basis of test data. or health hazards : Calculation method. or environmental hazards : Calculation method.	
No 1272/2008 Hazard statements for Hazard st	[CLP] or physical hazards : On basis of test data. or health hazards : Calculation method. or environmental hazards : Calculation method. d EUH-phrases (Number and full text) May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.	
No 1272/2008 Hazard statements for Hazard	[CLP] or physical hazards : On basis of test data. or health hazards : Calculation method. or environmental hazards : Calculation method. d EUH-phrases (Number and full text) May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.	
No 1272/2008 Hazard statements for Hazard statements for Hazard statements for 16.5 Relevant H- and H290 H314	[CLP] or physical hazards : On basis of test data. or health hazards : Calculation method. or environmental hazards : Calculation method. d EUH-phrases (Number and full text) May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.	

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.