Technical Information Art.-No. 113-



Description

Lithofin KF Silicone Remover is a special product based on acids and organic solvents. It dissolves almost all types of silicone, so that it can be pushed off the surface.

Properties

Facilitates removal of silicone residues. The viscous consistency also allows longer exposure times. Technical Data:

Density: ca. 0,9 g/cm³ pH-Value: ca. 4 Appearance: pale yellow Odour: unspecific Solubility in Water: in parts

Field of Use

Lithofin KF Silicone remover is suitable for cleaning off silicone stains and for removing old silicone joints. Can be used on all solvent- and acid-resistant substrates such as ceramic tiles, sanitary porcelain, enamel, glass, acrylic etc.

Not suitable for use on natural and artificial stone, various plastics, paints, varnishes, coloured cement joints, wood, aluminium and similar.

Protect alternative seals in the bath area.

Directions for Use

Cut out old joints, scrape off residues and layers as far as possible. Shake bottle well before use. Apply with a brush directly onto the dry residues or stains and smooth or distribute. Layer thickness: approx. 2mm. Let it work for approx. 1 hour depending on the material, for stubborn residues up to approx. 8 hours. Remove the soft silicone with a spatula and clean the surface with a cloth or sponge. Then remove it completely with ethyl alcohol or acetone. For particularly stubborn soiling, repeat the procedure with a longer exposure time.

<u>Please Note:</u> Always test in an inconspicuous area prior to use.

Application temperature: 10-25°C.

Degrease surfaces well with alcohol before applying a new joint.

Storage

Closed, cool and dry. Shelf life of approx. 2 years.

Lithofin KF Silicone Remover

Environmental Protection

<u>Disposal:</u> Containers are made of PVC. Clean containers can be recycled through collection system (see note on the product label).

Safety

UFI: MQ90-C0RX-T00V-KFPT

<u>Ingredients according regulation (EC) No. 648/2004</u> (<u>detergents regulation):</u> >30% aliphatic hydrocarbons, auxilliary agents.

Labelling according to EU-Directive 1272/2008(CLP): Symbol GHS 05 Danger

Phosphoric acid. Causes severe skin burns and eye damage. Keep out of reach of children. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents and container in accordance with local and national regulations.

ADR 2015: labelling for transport		
Unit	Label	Notes on freight papers
a)	LQ	none, due to limited quantities

Packaging

a) 500ml bottle with child-proof cap (10 per box)

Please Note:

This information should be considered to be informal and non-binding. The products must be used according to local conditions and materials. Always test the product in an inconspicuous area. (D7.19gps/4.19)