

## Lithofin Sticker Remover

### Description

A special LITHOFIN-Product for removing all kinds of stickers and labels and for effectively removing adhesive residues from almost any surface.

### Properties

Lithofin Sticker Remover quickly and effortlessly removes adhesives and facilitates removing stickers and stubborn residues.

#### Technical Data:

Density: 0,0 g/cm<sup>3</sup>

Flash Point: ca. 31°C (c.C.)

pH-Value: n.a.

Appearance: liquid, clear

Odour: aromatic

Solubility in Water: none

### Field of Use

For removing stickers, labels, adhesive tapes and residues. Also removes splashes of rubber, tar, fresh paint, etc. Suitable for nearly all surfaces made from stone, ceramics, glass, etc.

### Directions for Use

First peel of the sticker as far as possible, then put some Lithofin Sticker remover on a cloth and thoroughly wet the adhesive residues. Allow the product to work for a few minutes, but do not allow it to dry.

Rub the residues off the surface with a dry cloth.

In case of stubborn residues, you may have to repeat this procedure.

Please Note: on sensitive surfaces such as lacquer, paint, etc. try the product in an inconspicuous area prior to use.

### Storage

Closed, cool and dry. Not above 25°C. Up to 5 years.

### Environmental Protection

The contained surfactants are biodegradable according to regulation (EC) No. 648/2004 (detergents regulation).

Disposal: waste code according to EWC/AVV 07 06 04\*. Bottles/canisters are made of environmentally friendly tinsplate and can be recycled (see information on label).

### Safety

UFI: 7N70-706E-G000-Q8Q8

Ingredients according regulation (EC) No. 648/2004 (detergents regulation): <30% aliphatic hydrocarbons, 15-30% aromatic hydrocarbons, <5% non-ionic surfactants, auxillary agents.

Labelling according to EU-Directive 1272/2008(CLP):

Symbol GHS 02, 07, 08, 09 Danger

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics, benzene, n-butyl acetate.

Flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes serious eye irritation. May cause respiratory irritation.

May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Repeated exposure may cause skin dryness or cracking.

Keep out of reach of children. Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Store locked up.

ADR2019: regulations for transport

Unit	Label	Notes on freight papers
a)	LQ	none, due to limited quantities

### Packaging

a) 250 ml bottle with child proof cap (20 per box)

Please Note: statements concerning environmental and safety issues refer to the product as delivered (concentrated). This information should be considered to be informal and non-binding. The products must be used according to local conditions and materials. Always test the product in an inconspicuous area. (GB7.19gps/05.19)